

INDEX MAPS.

T.1N, R.1E. 2<sup>nd</sup> Mer.

|        | 5  | 5-6 | 5-6 | 5-6 | 4-6 | 4-7 |    |     |    |    |    |   |
|--------|----|-----|-----|-----|-----|-----|----|-----|----|----|----|---|
| 8      | 6  | 31  | 5   | 25  | 4   | 21  | 3  | 17  | 2  | 13 | 1  | 4 |
|        | 31 |     | 30  |     | 25  |     | 21 |     | 17 |    | 13 |   |
| 9<br>8 | 7  | 30  | 8   | 24  | 9   | 20  | 10 | 16  | 11 | 13 | 12 | 4 |
|        | 29 |     | 29  |     | 24  |     | 20 |     | 16 |    | 12 |   |
| 9<br>8 | 18 | 29  | 17  | 24  | 16  | 20  | 15 | 16  | 14 | 12 | 13 | 3 |
|        | 28 |     | 28  |     | 23  |     | 19 |     | 15 |    | 11 |   |
| 9<br>8 | 19 | 28  | 20  | 23  | 21  | 19  | 22 | 15  | 23 | 11 | 24 | 3 |
|        | 27 |     | 27  |     | 23  |     | 19 |     | 15 |    | 11 |   |
| 9<br>8 | 30 | 27  | 29  | 22  | 28  | 18  | 27 | 14  | 26 | 11 | 25 | 3 |
| 7      | 26 |     | 26  |     | 22  |     | 18 |     | 14 |    | 10 |   |
| 7      | 31 | 26  | 32  | 21  | 33  | 18  | 34 | 14  | 35 | 10 | 36 | 3 |
|        | 1  |     | 1   |     | 1   | 17  |    | 1-2 |    | 2  |    | 2 |

T. 2N, R.1E. 2<sup>nd</sup> Mer.

|          | 38    | 38 | 38    | 37-39 | 37-39 | 37-39 |       |    |       |    |       |    |
|----------|-------|----|-------|-------|-------|-------|-------|----|-------|----|-------|----|
| 40       | 6     | 61 | 5     | 56    | 4     | 52    | 3     | 49 | 2     | 45 | 1     | 37 |
|          | 61    |    | 60    |       | 56    |       | 52    |    | 49    |    | 45    |    |
| 40<br>41 | 7     | 60 | 8     | 55    | 9     | 52    | 10    | 48 | 11    | 45 | 12    | 36 |
|          | 60    |    | 59    |       | 55    |       | 51    |    | 48    |    | 44    |    |
| 40<br>41 | 18    | 59 | 17    | 56    | 16    | 51    | 15    | 48 | 14    | 44 | 13    | 36 |
|          | 59    |    | 58    |       | 54    |       | 51    |    | 47    |    | 44    |    |
| 40<br>41 | 19    | 58 | 20    | 54    | 21    | 51    | 22    | 47 | 23    | 43 | 24    | 36 |
|          | 58    |    | 58    |       | 54    |       | 50    |    | 47    |    | 43    |    |
| 40<br>41 | 30    | 57 | 29    | 53    | 28    | 50    | 27    | 46 | 26    | 43 | 25    | 35 |
|          | 57    |    | 57    |       | 53    |       | 50    |    | 46    |    | 42    |    |
| 39<br>42 | 31    | 56 | 32    | 53    | 33    | 49    | 34    | 46 | 35    | 42 | 36    | 35 |
|          | 33-34 |    | 33-34 |       | 33-34 |       | 33-34 |    | 33-35 |    | 33-35 |    |

The figures on the lines refer to the page.

Township N. 2 North, Range N. 1 East 2<sup>d</sup> Mer. Indiana

### South Boundary.

West 1<sup>st</sup> mile On Random between Town 1 & 2 N. R 1 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Set temp<sup>y</sup> mile post. This mile over good farming land, timber Oak, Hickory, Sugar tree Walnut, Ash & Poplar, underbrush Spice wood

West 2<sup>nd</sup> mile On Random betw<sup>n</sup>. Town 1 & 2 N. R 1 E.

30.50 a Brook 10 lbs. wide C. S. N.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post.

80.00 Set a temp<sup>y</sup>. mile post.

Land timber &c. same as on the last mile

West 3<sup>rd</sup> mile On Rand<sup>m</sup>. betw<sup>n</sup>. Town 1 & 2 N. R 1 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Set temp<sup>y</sup> mile post.

Land timber &c. same as on the last mile

West 4<sup>th</sup> mile On Rand<sup>m</sup>. between Town 1 & 2 N. R 1 E.

40.00 Set temp<sup>y</sup> q<sup>r</sup>. Sec. post

80.00 Set temp<sup>y</sup>. mile post

Land, timber &c. same as on the last mile

West 5<sup>th</sup> mile On Rand<sup>m</sup>. betw<sup>n</sup>. Town 1 & 2 N. R 1 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

43.50 a Brook 10 lbs. wide C. S. S.

70.00 a do 10 " " " S.

80.00 Set temp<sup>y</sup>. mile post.

Land, timber &c. same as on the last mile

West 6<sup>th</sup> mile On Rand<sup>m</sup>. betw<sup>n</sup>. Town 1 & 2 N. R 1 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

68.00 a Brook 10 lbs. wide C. S. S.

T2N R1E. 2<sup>d</sup>. Mer. Indiana

79.66 Intersected the 2<sup>d</sup>. Mer. 114 hrs. N. of the post  
 Sand, timber &c. same as on the last mile

East On S. boundary of Sec. 31, T2N. R1E.

39.66 At the q. Sec. post, from which  
 a Beech 10 m. dist. bear S 86 E 11 hrs. dist. &  
 a Dogwood 5 " " " N 74 W 10 " "

79.66 At a post Cor. to Sec. 31 & 32, from which  
 a Sugar 10 m. dist. bear S 6 E 5 hrs. dist. &  
 a Sycamore 10 " " " N 10 E 14 " "

East On S. boundary of Sec. 32, T2N. R1E.

40.00 At the q. Sec. post, from which  
 a Sugar 10 m. dist. bear N 46 E 3 hrs. dist. &  
 a Do 5 " " " S 64 W 10 " "

80.00 At a post Cor. to Sec. 32 & 33, T2N. R1E.  
 a Beech 40 m. dist. bear N 55 W 16 hrs. dist. &  
 a Do 10 " " " N 11 E 4 1/2 " "

East On S. boundary of Sec. 33, T2N. R1E.

40.00 At the q. Sec. post, from which  
 a Dogwood 6 m. dist. bear N 14 E 15 hrs. dist. &  
 a Sugar 15 " " " S 36 W 12 " "

80.00 At a post Cor. to Sec. 33 & 34, from which  
 a Dogwood 6 m. dist. bear N 6 W 11 hrs. dist. &  
 a W. Oak 12 " " " N 66 E 13 " "

East On S. boundary of Sec. 34, T2N. R1E

40.00 At the q. Sec. post, from which  
 a Beech 20 m. dist. bear N 33 E 21 hrs. dist. &  
 a W. Oak 10 " " " N 83 E 30 " "

80.00 At a post Cor. to Sec. 34 & 35, from which  
 a W. Oak 10 m. dist. bear N 25 W 2 hrs. dist. &

# L2 N. R1 E. 2<sup>d</sup>. Mer. Indiana

a Dogwood 6 m. dist. from S 7 E 11 lks. dist. &

East On S. boundary of Sec. 35, L2 N. R1 E.

40.00 At the q. Sec. post, from which  
a Beech 15 m. dist. from N 1 E 22 lks. dist. &  
a Do 20 " " " S 7 E 7 1/2 " "

80.00 At a post Cor. to Secs. 35 & 36, from which  
a Sugar 20 m. dist. from N 36 E 2 lks. dist. &  
a Dogwood 5 " " " S 89 W 2 " "

East On S. boundary of Sec. 36, L2 N. R1 E.

40.00 At the q. Sec. post, from which  
a B. Oak 24 m. dist. from S 69 W 11 lks. dist. &  
a Dogwood 8 " " " N 69 E 15 " "

80.00 To the Town Corner Sept. 19<sup>th</sup>. 1806.

## East Boundary

North On E. boundary of Sec. 36, L2 N. R1 E.

40.00 At the q. Sec. post, from which  
a B. Oak 30 m. dist. from S 26 E 25 lks. dist. &  
a Do 12 " " " N 75 E 19 " "

80.00 At a post Cor. to Secs. 25 & 36, from which  
a Beech 24 m. dist. from N 25 W 16 lks. dist. &  
a Do 12 " " " S 46 E 20 " "  
Land Rich, Beech, Oak, Poplar

North On E. boundary of Sec. 25, L2 N. R1 E.

20.25 a Brook 100 yds. wide C. W.

30.50 a Do 10 " " " S. W.

40.00 At the q. Sec. post, from which  
a Beech 12 m. dist. from S 85 W 5 lks. dist. &  
a Do 15 " " " S 65 E 23 " "

44.00 a Beech 24 " "



# T. 2 N. R. 1 E. 2<sup>d</sup>. Mer. Indiana

80.00 At a post Cor. to Sec. 24 & 25, from which  
a Maple 8 in. dia. bear N 40° W 2 1/2 k. dist. &  
a W. Oak 20 " " " S 40° E 23 " "  
Rich level timber Beech, Oak & Maple.

North On E. boundary of Sec. 24, T. 2 N. R. 1 E.

0.95 a Maple 15 in. dia.

40.00 At the q. Sec. post, from which  
a Beech 20 in. dia. bear S 32° W 19 k. dist. &  
a B. Walnut 12 " " " S 61° E 37 " "

80.00 At a post Cor. to Sec. 13 & 24, T. 2 N. R. 1 E. from  
which a W. Oak 30 in. dia. bear South 5 k., dist. &  
a Poplar 24 " " " S 40° W 34 " "  
Sand level rich, timber Oak & Poplar, under-  
brush Spice wood.

North On E. boundary of Sec. 13, T. 2 N. R. 1 E.

8.00 a Poplar 20 in. dia.

21.75 a Do 20 " "

40.00 At the q. Sec. post, from which  
a W. Oak 20 in. dia. bear S 70° E 2 k. dist. &  
a B. Oak 15 " " " S 70° W 9 " "

80.00 At a post Cor. to Sec. 12 & 13, from which  
a Dogwood 7 in. dia. bear S 50° W 2 1/2 k. dist. &  
a Do 8 " " " S 31° E 14 " "  
Very brushy level soil, timber oak & Hickory

North On E. boundary of Sec. 12, T. 2 N. R. 1 E.

40.00 At the q. Sec. post, from which

a Hickory 5 in. dia. bear N 60° W 6 k. dist. &

a B. Oak 20 " " " South 2 " "

58.50 a Creek 150 k. wide Course W.

79.50 a W. Oak 20 in. dia.

# T2 N. R1 E. T. Mer. Indiana

80.00 Set a post Cor. to Sec. 1 of 12, T. 2 N. R. 1 E. from which  
 a Hickory 5 m. dia. bear N 73 W 14 k. dist. 8"  
 a Dogwood 5 " " " S 73 E 16 " "  
 Land rich & level.

North On the E. boundary of Sec. 1, T2 N. R1 E.

40.00 At the q. Sec. post, from which  
 a W. Oak 20 m. dia. bear N 86 W 23 k. dist. 8"  
 a Do 20 " " " S 14 E 34 " "

60.00 a Brook 50 k. wide Cr. S. W.

80.00 Set a post Cor. to Town, T2 N. Range 1 E.  
 of the T. Mer. from which  
 a W. Walnut 10 m. dia. bear S 33 W 14 k. dist. 8"  
 a Do 8 " " " N 41 E 16 " "  
 Land, timber &c. same as on the last mile

North Boundary Random line

West 1<sup>st</sup> Mile between Town, T2 N. Range 1 E.

40.00 Set temp. q. Sec. post

80.00 Set temp. mile post. Land level thick  
 Timber Oak & Beech, underbrush, Spruce wood

West 2<sup>nd</sup> Mile between Town, T2 N. R1 E.

40.00 Set temp. q. Sec. post

58.00 a Creek 100 k. wide Cr. North

80.00 Set temp. mile post

Land timber &c. same as on the last mile

West 3<sup>rd</sup> Mile betw. Town, T2 N. Range 1 E.

34.00 a Brook 20 k. wide Cr. S. W.

40.00 Set temp. q. Sec. post

80.00 Set temp. mile post

Land timber &c. same as on the last mile

# Loc. R1E. 2<sup>d</sup>. Mer. Indiana

West 4<sup>th</sup> mile between Towns 2 & 3 St. R1E.

40.00 Set temp<sup>y</sup>. g<sup>f</sup>. Sec. post

80.00 Set temp<sup>y</sup>. mile post.

Land & timber &c. Same as on the last mile

West 5<sup>th</sup> mile betw. Towns 2 & 3 St. Range 1 E.

40.00 Set temp<sup>y</sup>. g<sup>f</sup>. Sec. post.

80.00 Set temp<sup>y</sup>. mile post.

Land, timber &c. Same as on the last mile

West 6<sup>th</sup> mile between Towns 2 & 3 St. R1E.

40.00 Set temp<sup>y</sup>. g<sup>f</sup>. Sec. post

84.00 Intersected the 2<sup>d</sup>. Mer. 500 yds. S. of the corner.

Land the same quality but covered thick with underbrush Spice wood & Red bud

East On true line S. boundary of Sec. 31, T3 St. R1E

44.00 Set the g<sup>f</sup>. Sec. post on true line, from which  
a Hickory 10 in. dia. bran S 6 E 60 yds. dist. &  
a Dogwood 6 " " " West 27 " "

84.00 Set a post Cor. to Sec. 31 & 32, T3 St. R1E. from which  
an Elm 8 in. dia. bran S 87 W 15 yds. dist. &  
a Dogw. 8 " " " N 24 W 8 " "

East On true line on S. boundy. of Sec. 32, T3 St. R1E.

40.00 Set the g<sup>f</sup>. Sec. post on true line, from which  
a Beech 6 in. dia. bran N 32 E 14 yds. dist. &  
a Dogw. 6 " " " S 13 E 8 " "

80.00 Set a post Cor. to Sec. 32 & 33, from which  
a B. Oak 30 in. dia. bran S 55 W 6 yds. dist. &  
an Elm 4 " " " N 84 E 19 " "

East On true line on S. boundy. of Sec. 33, T3 St. R1E.

# T3 N. R1 E. 2<sup>d</sup>. Mer. Indiana

- 40.00 Set the q. Sec. post, from which  
a Sugar 10 m. dist. bear N 23 E 10 lks. dist. of  
a W. Oak 8 " " " S 32 E 17 " "
- 80.00 Set a post Cor. to Sec. 33 & 34, T3 N. R1 E. from which  
a Beech 7 m. dist. bear N 34 E. 8 lks. dist. of  
a Sugar 10 " " " S 79 W 17 " "

East On true line S. boundary of Sec. 34, T3 N. R1 E.

- 40.00 Set the q. Sec. post on true line, from which  
a Beech 30 m. dist. bear S 15 E 41 lks. dist  
This post stands in a brook 200 lks. wide cr. S. W.
- 80.00 Set a post Cor. to Sec. 34 & 35, T3 N. R1 E. from which  
a Beech 24 m. dist. bear N 35 E. 25 lks. dist. of  
a Do 10 " " " N 66 W 26 " "

East On true line S. boundy. of Sec. 35, T3 N. R1 E.

- 40.00 Set the q. Sec. post. on true line from which  
an Ironwood 5 m. dist. bear N 20 W 15 lks. dist. of  
a Do 4 " " " S 28 E 14 " "
- 80.00 Set a post Cor. to Sec. 35 & 36, T3 N. R1 E. from which  
a Sassafras 5 m. dist. bear N 6 E 16 lks. dist. of  
a Poplar 28 " " " S 14 E 28 " "

East On true line S. boundy. of Sec. 36, T3 N. R1 E.

- 40.00 Set the q. Sec. post on true line, from which  
a W. Oak 20 m. dist. bear S 9 W 20 lks. dist. of  
an Elm 10 " " " N 14 W 28 " "
- 80.00 to the Town Corner. August 1806

West Boundary or 2<sup>d</sup>. Principal Meridian

- North 1<sup>st</sup>. Mile on Rand. line on 2<sup>d</sup>. Mer. or E. half. T2 N. R1 E.
- 40.00 Set temp. q. Sec. post
- 80.00 Set temp. mile post



# 2<sup>d</sup> St. R1 E. 2<sup>d</sup>. Mer. Indiana

Rich broken Soil, timber Beech, oak & hickory.

North 2<sup>d</sup> Mile On Rand<sup>m</sup>. on 2<sup>d</sup>. Mer. or E. bdy. of 2<sup>d</sup> St. R1 W.

40.00 Set temp<sup>y</sup>. q<sup>y</sup>. Sec. post

80.00 Set temp<sup>y</sup>. Mile post.

Sand timber &c. same as on the last mile

North 3<sup>d</sup> Mile On Rand<sup>m</sup>. on 2<sup>d</sup>. Mer. or E. bdy. of 2<sup>d</sup> St. R1 W.

40.00 Set the q<sup>y</sup>. Sec. post, temp<sup>y</sup>

80.00 Set temp<sup>y</sup>. Mile post. Timber, Beech, Sugar

Elm, underbrush Spice wood, land rich and convenient for farming.

North 4<sup>th</sup> Mile On Rand<sup>m</sup>. on 2<sup>d</sup>. Mer. or E. bdy. of 2<sup>d</sup> St. R1 W.

20.00 touch the E. side of a Brook 150 yds wide S. W.

40.00 Set temp<sup>y</sup>. q<sup>y</sup>. Sec. post

55.00 Cross the same Creek C. W.

80.00 Set temp<sup>y</sup>. Mile post.

Sand timber &c. same as on the last mile

North 5<sup>th</sup> Mile On Rand<sup>m</sup>. on 2<sup>d</sup>. Mer. or E. bdy. 2<sup>d</sup> St. R1 W.

40.00 Set temp<sup>y</sup>. q<sup>y</sup>. Sec. post

80.00 Set temp<sup>y</sup>. Mile post.

Sand, timber &c. same. July 11<sup>th</sup> 1806

North 6<sup>th</sup> Mile On Rand<sup>m</sup>. on 2<sup>d</sup>. Mer. or E. bdy. 2<sup>d</sup> St. R1 W.

40.00 Set temp<sup>y</sup> q<sup>y</sup>. Sec. post

80.00 Set temp<sup>y</sup>. Town Corner on the 2<sup>d</sup>. Meridian

Sand, timber &c. same as on the last mile

South On E. boundary of Sec. 1, 2<sup>d</sup> St. R1 W.

a W. Oak 10 in. diam. bray 188 E 17<sup>th</sup> N. dist 1/2

a Dogwood 7 " " " N 66<sup>th</sup> Wile " "

# L. N. R. C. D. Mer. Indiana

- 40.00 Let the q. Sec. post on true line, from which  
a W. Oak 20 mi. dist. bear N 32 E 18 lks. dist. &  
a R. Oak 10 " " " D 84 W 9 " "
- 80.00 Let a post Cor. to Sec. 11 & 12, T 2 N. R 1 W. from which  
a Sassafras 7 mi. dist. bear D 88 E 10 lks. dist. &  
an Elm 8 " " " N 70 W 8 " "

- South On E. boundary of Sec. 12, T 2 N. R 1 W.
- 40.00 Let the q. Sec. post on true line, from which  
a Poplar 12 mi. dist. bear N 88 W 17 lks. dist. &  
a Sugar 15 " " " D 20 E 10 " "
- 80.00 Let a post Cor. to Sec. 12 & 13, T 2 N. R 1 W. from which  
a Sugar 10 mi. dist. bear D 82 E 14 lks. dist. &  
a Hickory 5 " " " D 79 W 17 " "

- South On E. boundry of Sec. 13, T 2 N. R 1 W
- 40.00 Let the q. Sec. post, from which  
a W. Oak 8 mi. dist. bear N 22 W 26 1/2 lks. dist. &  
a R. Walnut 8 " " " D 10 W 27 " "
- 80.00 Let a post Cor. to Sec. 13 & 24, T 2 N. R 1 W. from which  
a Beech 15 mi. dist. bear N 34 W 16 1/2 lks. dist. &  
a Hickory 10 " " " D 27 E 21 " "

- South On E. boundry of Sec. 24, T 2 N. R 1 W.
- 40.00 Let the q. Sec. post on true line, from which  
a Hackberry 7 mi. dist. bear N 21 W 21 lks. dist. &  
a W. Walnut 20 " " " D 16 E 23 " "
- 80.00 Let a post Cor. to Sec. 24 & 25, T 2 N. R 1 W. from which.  
a Beech 7 mi. dist. bear N 86 W 8 lks. dist. &  
a Elm 24 " " " D 66 E 25 " "

- South On E. boundry of Sec. 25, T 2 N. R 1 W.
- 40.00 Let the q. Sec. post on true line, from which

T2 N. R1 E, 2<sup>d</sup> Mer. Indiana

- a Maple 12 in. diam. bears N12 W16 lks. dist. &  
 a White Oak 30 " " " N9 E 24 " "  
 80.00 Set a post Cor. to Sec. 25 & 36, T2 N. R1 W. from which  
 a Beech 16 in. diam. bears N13 E 8 lks. dist. &  
 a Do 10 " " " N84 E 15 " "

South On E. boundry. of Sec. 36, T2 N. R1 W

- 40.00 Set the q. Sec. post on true line, from which  
 a Beech 26 in. diam. bears N45 E 20 lks. dist. &  
 a Do 10 " " " N12 E 20 " "  
 80.00 Set a post Cor. to Township, N. 1 & 2 N. Range 1 E.  
 & 1 W. of 2<sup>d</sup> Mer. from which  
 a Beech 12 in. diam. bears N55 W 8 lks. dist. &  
 a Red bud 5 " " " N15 E 23 " "  
 Surveyed by Arthur Annis, Dep. Sur.

## Subdivision.

North Between Sec. 35 & 36, T2 N. R1 E, 2<sup>d</sup> Mer.

- 40.00 Set the q. Sec. post, from which  
 a W. Oak 15 in. diam. bears N66 W 19 lks. dist. &  
 a Do 8 " " " N68 E 19 " "  
 41.44 a W. Oak 20 " "  
 66.09 a W. Oak 20 " "  
 80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which  
 a Beech 24 in. diam. bears S6 E 51 lks. dist. &  
 a Poplar 48 " " " N86 E 28 " "  
 Middling farming land, Oak, Hickory & ash timber

East On Randm. between Sec. 25 & 36, T2 N. R1 E.

- 40.00 Set temp. q. Sec. post  
 80.41 Intersected the N & S. line 46 lks. S. of the corner  
 . This mile over very rich level land

T2 N. R1 E. 2<sup>nd</sup>. Mer. Indiana

West On true line between Sec. 25 & 36, T2 N. R1 E.  
 40.20 1/2 at q. Sec. post at av. dist. on true line, from which  
 a Beech 20 in. diam. bears S 84° W 11 lbs. dist. of  
 a Poplar 30 " " " S 2 E 14 " "  
 80.41 to Sec. Corner.

North Between Sec. 25 & 26, T2 N. R1 E. 2<sup>nd</sup>. Mer.  
 32.35 a Poplar 30 in. diam.  
 40.00 at the q. Sec. post, from which  
 a Hackberry 12 in. diam. bears S 5 E 15 lbs. dist. of  
 a Do 6 " " " S 19° W 14 " "  
 80.00 at a post Cor. to Sec. 23, 24, 25, 26, from which  
 a Beech 24 in. diam. bears N 82 E 17 lbs. dist. of  
 a Do 15 " " " N 42° W 8 " "  
 Rich level farming land, Oak, Ash, Beech & Walnut.

East On Rand. between Sec. 24 & 25, T2 N. R1 E.  
 10.00 a Brook 60 lbs. wide C. S. N.  
 40.00 at temp. q. Sec. post  
 80.25 intersected the N & S. line 15 lbs. S. of the corner  
 This mile over wet Beech timber land

West On true line between Sec. 24 & 25, T2 N. R1 E.  
 40.12 1/2 at q. Sec. post at av. dist. on true line, from which  
 a Beech 8 in. diam. bears S 86 E 17 lbs. dist. of  
 an Elm 12 " " " N 57° W 10 " "  
 80.25 to Sec. Corner. Nov. 29<sup>th</sup>. 1806

North Between Sec. 23 & 24, T2 N. R1 E. 2<sup>nd</sup>. Mer.  
 8.00 a Brook 50 lbs. wide C. S. N.  
 40.00 at the q. Sec. post, from which  
 an Ironwood 5 in. diam. bears S 50° W 25 lbs. dist. of  
 a Hickory 5 " " " N 30 E 4 " "



T2 N. R1 E. 2<sup>nd</sup>. Mer. Indiana

80.00 At a post Cor. to Sec. 13, 14, 23 & 24, from which  
 a Poplar 24 in. dia. dist. 47 E 12 $\frac{1}{2}$  N. dist. &  
 a Beech 10 " " " S 28 $\frac{1}{2}$  W 23 " "  
 Flat land timber brush.

East On Rand<sup>m</sup> between Sec. 13 & 24, T2 N. R1 E.

40.00 At temp<sup>y</sup> of Sec. post

80.00 Intersected the N & S. line 29 $\frac{1}{2}$  krs. S. of the corner  
 Over Oak & Hickory timbered land, underg<sup>d</sup>. Spruce

West On true line betw<sup>n</sup>. Sec. 13 & 24, T2 N. R1 E.

40.00 At temp<sup>y</sup> of Sec. post at adj. dist. from which  
 a Gum 10 in. dia. brans S 80 E 25 krs. dist. &  
 a Poplar 8 " " " N 8 W 11 $\frac{1}{2}$  " "

80.00 to Sec. Cor.

North Between Sec. 13 & 14, T2 N. R1 E. 2<sup>nd</sup>. Mer.

25.87 a Beech 20 in. dia.

40.00 At the of Sec. post, from which

a Hickory 10 in dia. brans S 15 E 17 krs. dist. &  
 a Beech 15 " " " N 15 W 40 " "

80.00 At a post Cor. to Sec. 11, 12, 13 & 14, from which

a Dogwood 5 in. dia. brans S 21 W 6 krs. dist. &  
 a Sugar 8 " " " N 30 W 6 " "

Brushy Oak & Hickory timbered land under  
 wood Spruce wood.

East On Random betw<sup>n</sup>. Sec. 12 & 13, T2 N. R1 E.

40.00 At temp<sup>y</sup> of Sec. post

80.00 Intersected the N & S. line 17 krs. S. of Sec. Cor.  
 Land timber &c. same as on the last mile

West On true line between Sec. 12 & 13, T2 N. R1 E.

# T2 N. R1 E. 2<sup>nd</sup>. Mer. Indiana

40.00 Let qf. Sec. post at avf. dist. on true line, from which  
 a Hickory 10 mi. dist. bear S 52 W 16 lks. dist. &  
 a Do 9 " " " N 67 E 16 " "  
 80.00 to the Sec. Cor.

North Between Sec. 1, 12, T2 N. R1 E. 2<sup>nd</sup>. Mer.

40.00 Let the qf. Sec. post, from which  
 a W. Oak 24 mi. dist. bear S 34 W. 37 lks. dist. &  
 a Hickory 10 " " " S 66 E 17 " "  
 80.00 Let a post Cor. to Sec. 1, 2, 11, 12, from which  
 a W. Oak 12 mi. dist. bear S 20 E 23 lks. dist. &  
 a Beech " " " N 85 W 12 " "  
 Land timber &c. Same as on the last mile

East On Random betw. Sec. 1 & 12, T2 N. R1 E.

20.00 a Brook 50 lks. wide Cr. S. N. W  
 40.00 Let temp. qf. Sec. post  
 79.50 Intersected the N. & S. line 100 lks. S. of the corner.  
 Land timber &c. Same as on the last mile

West On true line between Sec. 1 & 12, T2 N. R1 E.

39.75 Let qf. Sec. post at avf. dist. on true line, from which  
 a W. Oak 20 mi. dist. bear S 16 E 30 lks. dist. &  
 a Logw? 6 " " " N 62 E 7 " "  
 79.50 to Sec. Cor.

North Between Sec. 1 & 12, T2 N. R1 E. 2<sup>nd</sup>. Mer.

22.50 a Brook 50 lks. wide Cr. S. N. W.  
 40.00 Let the qf. Sec. post, from which  
 a Beech 20 mi. dist. bear S 5 W 24 lks. dist. &  
 a Do 10 " " " N 9 W 5 " "  
 42.00 a Brook 50 lks. wide Cr. S. N.  
 81.88 Intersected the N. bound. 187 lks. E. of the cor.

# T2N R1E.2<sup>nd</sup> Mer. Indiana

Set a post Cor. to Sec. 1 & 2, from which  
a Dogwood 6 m. dist. bears S26 E 47 lbs. dist. &  
a Do 6 " " " N43 W 32 " "  
Rich land.

North Between Sec. 34 & 35, T2N. R1E. 2<sup>nd</sup> Mer.

40.00 Set the q. Sec. post, from which  
a Sugar 20 m. dist. bears S5 W 49 lbs. dist. &  
a B. Walnut 15 " " " S15 E 51 " "

57.00 a B. Walnut 20 " "

80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which  
an Elm 6 m. dist. bears S29 W 16 lbs. dist. &  
a Do 5 " " " West 3 " "

East On Random between Sec. 26 & 35, T2N. R1E.

40.00 Set temp. q. Sec. post.

80.17 Intersected the N & S. line 18 lbs. N. of the Cor.  
Very Rich Walnut land

West On true line between Sec. 26 & 35, T2N. R1E.

40.08 1/2 Set q. Sec. post at w. j. dist. on true line, from which  
a Beech 20 m. dist. bears S8 W 40 lbs. dist. &  
a Do 10 " " " N88 E 16 " "

80.17 to Sec. Cor.

North Between Sec. 26 & 27, T2N. R1E. 2<sup>nd</sup> Mer

2.00 an Elm 12 m. dist.

40.00 Set the q. Sec. post, from which  
a Hackberry 15 m. dist. bears S33 W 16 lbs. dist. &  
a Hickory 12 " " " East 2 " "

76.50 a Brook 15 lbs. wide Cr. West

80.00 Set a post Cor. to Sec. 22, 23, 26 & 27, from which  
a Red Haw 6 m. dist. bears S17 W 19 lbs. dist. &

# T. N. R. 1 E. 2<sup>nd</sup> Mer. Indiana

a Hackberry 20 in. diam. bears N 32 E 41 lbs. dist.

East On Randm. betw. Sec. 23 & 26, T. 2 N. R. 1 E.

5.00 a Brook 20 lbs. Cr. S. W.

8.00 Same 20 " " S. W.

13.50 Same 20 " " S. W.

40.00 At temp. of Sec. post

80.25 Intersected the N & S. line 4 lbs. N. of the cor.  
Beech, Gum timbered land. Nov. 30. 1806.

West On true line betw. Sec. 23 & 26, T. 2 N. R. 1 E.

40.12 1/2 At of Sec. post, at av. of dist. on true line, from which

a Beech 24 in. diam. bears N 46 W 20 lbs. dist.

a Do 20 " " " S 45 W 16 " "

80.25 to Sec. Corner.

North Between Sec. 22 & 23, T. 2 N. R. 1 E. 2<sup>nd</sup> Mer.

4 80 a Hickory 20 in. diam.

40.00 At the of Sec. post, from which

a Poplar 4 in. diam. bears S 32 W 20 lbs. dist.

a Do 24 " " " N 32 E 18 " "

64.50 a Brook 10 lbs. wide Cr. W.

80.00 At a post Cor. to Sec. 14, 15, 22 & 23, from which

a Beech 12 in. diam. bears S 3 E 14 lbs. dist.

a Do 20 " " " N 12 W 6 " "

Over flat Beech timbered land

East On Randm. between Sec. 14 & 23, T. 2 N. R. 1 E.

40.00 At temp. of Sec. post

80.00 Intersected the N & S. line 2 lbs. N. of the cor.  
Land timbered of. Same as on the last mile

West On true line betw. Sec. 14 & 23, T. 2 N. R. 1 E.



# T2 N. R1 E. 2<sup>nd</sup>. Mer. Indiana

40.00 Set of Sec. post at av. dist. on true line, from which  
 a Beech 8 mi. diam. bears S 62 E 21 krs. dist. of  
 a Do 20 " " " S 2 E 25 " "  
 80.00 to Section Corner.

North Between Sec. 14 & 15, T2 N. R1 E. 2<sup>nd</sup>. Mer.

40.00 Set the of Sec. post, from which  
 a Beech 20 mi. diam. bears N 4 E 23 krs. dist. of  
 a Do 8 " " " S 45 W 27 " "

41.00 a Pond 5 chains wide

80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which  
 a Beech 20 mi. diam. bears South 12 krs. dist. of  
 a Hickory 10 " " " S 79 E 10 " "  
 Sand, timber &c. Same as on the last mile

East On Random betw. Sec. 11 & 14, T2 N. R1 E.

17.00 to a pond 8 ch. wide N & S.

40.00 Set temp. of Sec. post

80.50 Intersected the N & S line 10 krs. N. of the post.  
 Sand, timber &c. Same as on the last mile

West On true line betw. Sec. 11 & 14, T2 N. R1 E.

40.25 Set of Sec. post at av. dist. on true, from which  
 a W. Oak 20 mi. diam. bears N 85 E 48 krs. dist. of  
 a Beech 20 " " " N 44 W 8 1/2 " "

80.50 to Sec. Corner.

North Between Sec. 10 & 11, T2 N. R1 E. 2<sup>nd</sup>. Mer.

40.00 Set the of Sec. post, from which  
 a W. Oak 15 mi. diam. bears N 19 E 35 krs. dist. of  
 a Beech 10 " " " N 77 E 12 1/2 " "

40.50 a Brook 16 krs. wide Cr. W.

80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which

T2 N. R1 E. T<sup>2</sup> Mer. Indiana

a Beech 20 in. diam. bear S36 W25 lks. dist.  
 & a Sugar 15 " " " S45 E18 " "  
 Land, timber &c. Same as on the last mile

East On Rand<sup>m</sup>. betw. Sec. 2 & 11, T2 N. R1 E.

40.00 Set temp<sup>y</sup>. q<sup>t</sup>. Sec. post

81.50 Intersected the N. & S. line 10 lks. N. of the cor.  
 Good farming land, timber Oak

West On true line, betw. Sec. 2 & 11, T2 N. R1 E.

40.75 Set q<sup>t</sup>. Sec. post at ar<sup>y</sup>. dist. on true line, from which  
 a Dogwood 5 in. diam. bear S30 W5 lks. dist. &  
 a Beech 10 " " " N65 W11 1/2 " "

81.50 to Sec. Cor.

North Between Sec. 2 & 3, T2 N. R1 E. T<sup>2</sup> Mer.

40.00 Set the q<sup>t</sup>. Sec. post, from which  
 a Beech 10 in. diam. bear S7 W22 lks. dist. &  
 a Sugar 12 " " " N66 E18 " "

79.64 Intersected the N. boundary 184 lks. N. of post.  
 Set a post Cor. to Sec. 2 & 3, T2 N. R1 E. from which  
 a Beech 12 in. diam. bear N70 E13 lks. dist. &  
 a Do 20 " " " N51 W32 " "  
 Good farming land

North Between Sec. 33 & 34, T2 N. R1 E. T<sup>2</sup> Mer.

4.90 a W. Oak 15 in. diam.

40.00 Set the q<sup>t</sup>. Sec. post, from which  
 a W. Oak 20 in. diam. bear S11 E40 lks. dist. &  
 a W. ash 6 " " " N67 E8 " "

64.00 a W. Oak 20 " "

80.00 Set a post Cor. to Sec. 27, 28, 33 & 34, from which  
 a W. Oak 20 in. diam. bear S28 E65 lks. dist.

# 2<sup>d</sup> N. R1 E. 2<sup>d</sup> Mer. Indiana

Over brushy Oak timbered land.

East On Rand<sup>m</sup>. betw<sup>n</sup>. Sec<sup>s</sup>. 27 & 34, 2<sup>d</sup> N. R1 E.

40.00 Set temp<sup>y</sup>. of Sec. post

80.00 Intersected the N & S. line 12 lks. S. of the Cor.

Land very rich.

West on true line betw<sup>n</sup>. Sec<sup>s</sup>. 27 & 34, 2<sup>d</sup> N. R1 E.

40.00 Set of Sec. post at av<sup>g</sup>. dist. on true line from which  
a Beech 20 mi. dist. bears S 23° W 14 1/2 lks. dist. of  
a Do 20 " " " N 63° E 31 " "

80.00 to Sec. Cor.

North Between Sec<sup>s</sup>. 27 & 28, 2<sup>d</sup> N. R1 E. 2<sup>d</sup> Mer.

40.00 Set the of Sec. post, from which

a Dogwood 6 mi. dist. bears S 12° E. 27 lks. dist. of

a Sugar 15 " " " N 41° E 19 " "

80.00 Set a post Cor. to Sec<sup>s</sup>. 21, 22, 27 & 28, from which

a Sugar 6 mi. dist. bears S 15° E 20 lks. dist. of

a Beech 30 " " " N 85° W 12 " "

This mile over rich farming land, timber Ash  
Poplar &c.

East On Rand<sup>m</sup>. betw<sup>n</sup>. Sec<sup>s</sup>. 22 & 27, 2<sup>d</sup> N. R1 E.

40.00 Set temp<sup>y</sup>. of Sec. post

80.00 Intersected the N & S. line 8 lks. N. of the Cor.

Land timber &c. same as on the last mile

West On true line, between Sec<sup>s</sup>. 22 & 27, 2<sup>d</sup> N. R1 E.

40.00 Set of Sec. post at av<sup>g</sup>. dist. on true line, from which

a Sugar 8 mi. dist. bears N 34° E 8 1/2 lks. dist. of

a W. Oak 20 " " " N 45° W 18 1/2 " "

80.00 to Sec. Corner. Dec. 1<sup>st</sup> 1806

# T2 N. R1 E. 2<sup>d</sup>. Mer. Indiana

North Between Secs. 21 & 22, T2 N. R1 E.

9.50 a W. Oak 12 mi. dist.

40.00 Set the q. Sec. post, from which  
a Poplar 20 mi. dist. bears S 35 E 16 lks. dist. of  
a W. Oak 98 " " " S 24 W 17 " "

80.00 Set a post Cor. to Secs. 15, 16, 21 & 22, from which  
a Poplar 20 mi. dist. bears S 26 W 10 lks. dist. of  
a Beech 12 " " " S 64 W 5 " "  
Rich farming land, timber: Beech, Sugar, Poplar &c

East On Randm. between Secs. 15 & 22, T2 N. R1 E

37.00 a Brook 10 lks. wide C.P. W.

40.00 Set temp. q. Sec. post

80.32 Intersected the N & S. line 40 lks. N. of the cor.  
Flat Beech timbered land

West on true line betw. Secs. 15 & 22, T2 N. R1 E.

40.16 Set the q. Sec. post at ar. dist. from which  
a Beech 2 mi. dist. bears N 60 E 14 lks. dist. of  
a do 15 " " " N 79 W 24 " "

80.32 Sec. Cor.

North Between Secs. 15 & 16, T2 N. R1 E. 2<sup>d</sup>. Mer.

40.00 Set the q. Sec. post, from which  
a Poplar 24 mi. dist. bears N 54 E 4 lks. dist. of  
a Beech 12 " " " N 42 W 13 " "

47.50 a Brook 10 lks. wide C.P. W.

80.00 Set a post Cor. to Secs. 9, 10, 15 & 16, from which  
a Beech 24 mi. dist. bears N 15 W 25 lks. dist. of  
an Elm 10 " " " S 57 E 30 " "  
Good farming land, underg<sup>th</sup>. Spruce wood

East On Randm. between Secs. 10 & 15, T2 N. R1 E.



# T2 N. R1 E. 2<sup>d</sup>. Mer. Indiana

40.00 Set temp<sup>y</sup>. of Sec. post.  
 79.88 Intersected the N & S. line 5 lks. N. of the cor.  
 Sand, timber &c. Same as on the last mile

West on true line betw<sup>n</sup>. Sec<sup>s</sup>. 10 & 15, T2 N. R1 E.  
 39.94 Set of Sec. post at ar<sup>y</sup>. dist. on true line, from which  
 a Gum 10 m. dist. bears S55 E 11 1/2 lks. dist. of  
 a Beech 15 " " " N55 W 22 " "  
 79.88 to Sec. Cor.

North Between Sec<sup>s</sup>. 9 & 10, T2 N. R1 E. 2<sup>d</sup> Mer.  
 40.00 Set the of Sec. post, from which  
 a W. Oak 10 m. dist. bears S26 E 9 lks. dist. of  
 a B. Walnut 15 " " " N67 W 24 " "  
 80.00 Set a post Cor. to Sec<sup>s</sup>. 3, 4, 9, 10, from which  
 a Sugar 5 m. dist. bears S9 W 14 lks. dist. of  
 an Elm 10 " " " S26 E 5 " "  
 Sand timber &c. Same as the last mile

East On Rand<sup>m</sup>. betw<sup>n</sup>. Sec<sup>s</sup>. 3 & 10, T2 N. R1 E.  
 40.00 Set temp<sup>y</sup>. of Sec. post  
 79.73 Intersected the N & S. line 10 lks. N. of the corner.  
 Over level beech timber land.

West on true line betw<sup>n</sup>. Sec<sup>s</sup>. 3 & 10, T2 N. R1 E.  
 39.86 1/2 Set of Sec. post at ar<sup>y</sup>. dist. on true line, from which  
 a Beech 18 m. dist. bears N9 W 10 lks. dist. of  
 a Poplar 48 " " " S66 W 40 " "  
 79.73 to Sec. Cor.

North Between Sec<sup>s</sup>. 3 & 4, T2 N. R1 E. 2<sup>d</sup> Mer.  
 40.00 Set the of Sec. post from which  
 a Beech 10 m. dist. bears S2 E 35 lks. dist. of

# 2<sup>d</sup> N. P. E. 2<sup>d</sup> Mer. Indiana

- a Beech 10 in. dia. bears N 13° W 22 lks. dist.  
 51.00 a Brook 100 lks. wide. E. 9° W  
 78.18 Intersected the N. Boundary 92 lks. N. of post  
 at a post Cor. to Sec. 32 & 33, from which  
 a Beech 10 in. dia. bears S 66° E 3 lks. dist. &  
 a Do 15 " " " S 25° W 20 " "  
 Land timber &c. Same as on the last mile

## North Between Sec. 32 & 33, 2<sup>d</sup> N. P. E. 2<sup>d</sup> Mer.

- 36.90 a W. Oak 24 in. dia.  
 40.00 At the q. Sec. post, from which  
 a Sugar 15 in. dia. bears N 15° W 10 lks. dist. &  
 a Beech 10 " " " N 65° E 24 " "  
 80.00 At a post Cor. to Sec. 28, 29, 32 & 33, from which  
 Poplar 20 in. dia. bears N 55° E 27 lks. dist. &  
 a Do 24 " " " S 23° W 38 " "  
 Over very broken thin Oak timber. Soil.

## East On Rand<sup>m</sup>. betw. Sec. 28 & 33, 2<sup>d</sup> N. P. E.

- 40.00 At temp 1/2 mile post,  
 80.63 Intersected the N & S. line 92 lks. S. of the Cor.  
 Land timber &c. Same as on the last mile

## West on true line betw. Sec. 28 & 33, 2<sup>d</sup> N. P. E.

- 40.31 1/2 At q. Sec. post at anj. dist. from which  
 a Sugar 6 in. dia. bears S 71° E. 3 lks. dist. &  
 a Do 10 " " " S 70° W 19 " "  
 80.63 to Sec. Cor.

## North Between Sec. 28 & 29, 2<sup>d</sup> N. P. E.

- 40.00 At the q. Sec. post, from which  
 a Beech 12 in. dia. bears S 28° W 39 lks. dist. &  
 a Do 15 " " " N 62° W 10 " "

T2 N. R1 E. 2<sup>d</sup> Mer. Indiana

67.25 a Poplar 20 in. diam.

80.00 Set a post Cor. to Secs. 20, 21, 28 & 29, T2 N. R1 E.

a Sugar 10 in. diam. bran S 67 W 48 lbs. dist. 8

a Do 12 " " " S 42 E 20 " "

Land timber &c. Same as on the last mile

East On Randm. between Secs. 21 & 28, T2 N. R1 E.

40.00 Set temp. of Sec. post

80.14 Intersected the N & S. line 23 lbs. S. of Cor.

This mile over good farming land, timber  
Oak, Hickory & Poplar.

West On true line betw. Secs. 21 & 28, T2 N. R1 E.

40.07 Set of Sec. post at ar. dist. on true line, from which

a W. Oak 20 in. diam. bran S 51 E 2 lbs. dist. 6

a Do 20 " " " N 29 W 9 " "

80.14 to Sec. Cor. Sect. 2<sup>d</sup>. 1806.

North Between Secs. 20 & 21, T2 N. R1 E.

4.75 a W. Oak 15 in. diam.

40.00 Set the of Sec. post, from which

a W. Oak 20 in. diam. bran S 32 E 10 lbs. dist. 9

a Do 8 " " " S 46 W 22 " "

80.00 Set a post Cor. to Secs. 16, 17, 20 & 21, from which

a W. Oak 20 in. diam. bran S 7 W 18 lbs. dist. 8

a Dogwood 5 " " " S 41 E 18 " "

This mile over rolling oak timbered land

East On Randm. between Secs. 16 & 21, T2 N. R1 E.

40.00 Set temp. of Sec. post

80.07 Intersected the N & S. line 16 lbs. S. of the Cor.

Land, timber &c. Same as on the last mile

## T2 N. R1 E. 2<sup>nd</sup> Mer. Indiana

West On true line betw<sup>n</sup>. Sec<sup>s</sup>. 16 & 21, T2 N. R1 E.  
 40.03 1/2 bet q. Sec. post at av<sup>g</sup>. dist. on true line, from which  
     a Beech 10 in. diam. bears N 1 E 10 lks. dist. &  
     a Dogw<sup>?</sup> 4 " " " N 63 E 18 " "  
 80.07 to Sec. Cor.

---

North Between Sec<sup>s</sup>. 16 & 17, T2 N. R1 E. 2<sup>nd</sup> Mer.  
 20.35 a B. Oak 20 in. diam.  
 40.00 bet the q. Sec. post, from which a  
     Red Oak 5 in. diam. bears N 56 W 6 lks. dist. &  
     a Dog w<sup>?</sup> 6 " " " S 22 E 31 " "  
 80.00 bet post Cor. to Sec<sup>s</sup>. 8, 9, 16 & 17, from which  
     a Poplar 20 in. diam. bears S 10 W 3 lks. dist. &  
     a Sugar 12 " " " N 68 E 12 " "  
 Land, timber &c. Same as on the last mile

---

East On Rand<sup>m</sup>. betw<sup>n</sup>. Sec<sup>s</sup>. 9 & 16, T2 N. R1 E.  
 40.00 bet temp<sup>y</sup>. q. Sec. post,  
 80.35 Intersected the N & S. line 39 lks. S. of the Corner.  
 Land, timber &c. Same as on the last mile

---

West Connected between Sec<sup>s</sup>. 9 & 16, T2 N. R1 E.  
 40.17 1/2 bet q. Sec. post at av<sup>g</sup>. dist. on true line, from which  
     a Sugar 12 in. diam. bears S 35 E 23 lks. dist. &  
     a Dogw<sup>?</sup> 4 " " " N 24 E 7 " "  
 80.35 to Sec. Corner

---

North Between Sec<sup>s</sup>. 8 & 9, T2 N. R1 E. 2<sup>nd</sup> Mer.  
 40.00 bet the q. Sec. post, from which  
     a W. Walnut 12 in. diam. bears S 27 E 38 lks. dist. &  
     a Do 12 " " " S 30 W 31 " "  
 80.00 bet a post Cor. to Sec<sup>s</sup>. 4, 5, 8 & 9, from which  
     a Sycamore 10 in. diam. bears N 58 W 26 lks. dist. &



# 2<sup>d</sup> N. P. 1 E. 2<sup>d</sup> Mer. Indiana

a Sycamore 6 in dia. bears N 8 E 18 lks. dist  
This mile over Polling land, very many  
kies, timber, Sugar, Beech, Poplar, Oak & Hickory.

East On Random between Sec. 4 & 9, 2<sup>d</sup> N. P. 1 E.

40.00 Set temp. q. Sec. post

80.19 Intersected the N. S. line 42 lks. S. of the Sec.  
Cor. Land, timber &c. same as on the last mile

West On true line between Sec. 4 & 9, 2<sup>d</sup> N. P. 1 E.

40.09 1/2 Set q. Sec. post at adj. dist. on true line, from which  
a Sugar 10 in. dia. bears South 2 lks. dist. &  
a Do 10 " " " N 22 E 27 " "

80.19 to Sec. Cor.

North Between Sec. 4 & 5, 2<sup>d</sup> N. P. 1 E. 2<sup>d</sup> Mer.

21.50 a Creek 200 lks. wide Cr. M.

40.00 Set the q. Sec. post, from which

a Sugar 8 in dia. bears N 8 W 14 lks. dist. &

a Beech 8 " " " S 8 E 10 " "

79.48 Intersected the N. boundary 17 lks. W. of the post

Set a post Cor. to Sec. 4 & 5, from which

a W. Oak 15 in. dia. bears S 47 E 16 lks. dist. &

a " " " " S 63 E 12 " "

Land timber &c. same as on the last mile

North Between Sec. 31 & 32, 2<sup>d</sup> N. P. 1 E. 2<sup>d</sup> Mer.

40.00 Set the q. Sec. post, from which

a Sugar 10 in. dia. bears South 20 lks. dist. &

a Beech 10 " " " S 33 W 16 " "

80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which

a Poplar 12 in. dia. bears S 19 W 47 lks. dist. &

a Beech 8 " " " S 19 W 50 " "

# T2 N. R1 E, 2<sup>d</sup>. Mer. Indiana

This mile over middling farming land.

West Between Secs. 30 & 31, T2 N. R1 E, 2<sup>d</sup>. Mer.  
25.65 a W. Oak 20 in. dia.

40.00 At the q. Sec. post, from which  
a W. Oak 10 in. dia. bears N4 E 20 lks. dist. &  
a do 14 " " " N77 W 25 " "

81.56 Intersected the 2<sup>d</sup>. Mer. 75 lks. S. of the cor.  
At a post Cor. to Secs. 30 & 31, from which  
a Beech 20 in. dia. bears N84 E 20 lks. dist. &  
a Sugar 10 " " " S84 W 16 " "  
Land timber fr. same as on the last mile

East On Rand. betw. Secs. 29 & 32, T2 N. R1 E.

40.00 At temp. q. Sec. post

80.00 Intersected the N & S. line, 46 lks. S. of post  
Land timber fr. same as on the last mile

West On true line betw. Secs. 29 & 32, T2 N. R1 E.

40.00 At q. Sec. post at an y. dist. from which  
a Beech 10 in. dia. bears S86 E 16 lks. dist. &  
a W. Oak 20 " " " N38 E 13 " "

80.00 to Sec. Cor.

North Between Secs. 29 & 30, T2 N. R1 E, 2<sup>d</sup>. Mer.

40.00 At the q. Sec. post, from which  
a W. Ash 20 in. dia. bears S12 W 56 lks. dist. &  
a Cherry 15 " " " N73 E 6 " "

78.90 a Poplar 20 " "

80.00 At a post Cor. to Secs. 19, 20, 29 & 30, from which  
a Dogwood 5 in. dia. bears S6 E 24 lks. dist. &  
a Hickory 10 " " " S62 E 22 " "

Good farming land, some sugar, Hickory & Oak

## T2 N. R1 E. 2<sup>nd</sup> Mer. Indiana

West Between Sec. 19 & 30, T2 N. R1 E.

40.00 Set the q. Sec. post, from which  
a Sugar 12 in. dia. bears N85 E 16 1/2 krs. dist. of  
a Do 6 " " " S53 E 12 " "

82.05 Intersected the 2<sup>nd</sup> Mer. 9 1/2 krs. N. of the Cor.

Set a post Cor. to Sec. 19 & 30, from which  
a Sugar 10 in. dia. bears N14 E 8 krs. dist.  
a Beech 12 " " " S55 E 23 " "

Sand timber &c. Same as on the last mile

---

East On Rand. betw. Sec. 20 & 29, T2 N. R1 E.

40.00 Set temp. q. Sec. post

80.00 Intersected the N & S. line 27 krs. S. of corner  
Sand timber &c. Same as on the last mile

---

West On true line between Sec. 20 & 29, T2 N. R1 E.

40.00 Set q. Sec. post at av. dist. on true line, from which  
a Sugar 8 in. dia. bears N19 E 9 krs. dist. of  
a Do 10 " " " N11 E 23 " "

80.00 to Sec. Cor

---

North Between Sec. 19 & 20, T2 N. R1 E.

40.00 Set the q. Sec. post, from which  
a Sassafras 5 in. dia. bears N74 E. 7 1/2 krs. dist. of  
a Hickory 4 " " " S28 W 9 " "

80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which  
a Beech 20 in. dia. bears S38 E 18 krs. dist. of  
a Do 20 " " " S25 W 20 " "

This mile over middling farming land, oak  
& Hickory timber.

---

East On Random between Sec. 17 & 20, T2 N. R1 E.

40.00 Set temp. q. Sec. post

# T 2 N. R 1 E. 2<sup>nd</sup> Mer. Indiana

81.00 Intersected the N. & S. line, 65 lks. S. of the cor.  
Land, timber &c. Same, underg<sup>th</sup> Spruce wood

---

West On true line between Sec. 17 & 20, T 2 N. R 1 E.

40.50 Set q. Sec. post at anj. dist. from which  
a Redbud 5 m. diam. bears S 11 E 21 lks. dist. of  
a Locust 24 " " " N 5 W 2 " "

81.00 to Sec. Corner.

---

West Between Sec. 18 & 19, T 2 N. R 1 E.

38.95 an Elm 12 m. diam.

40.00 Set the q. Sec. post, from which  
a Hickory 10 m. diam. bears N 48 E 13 lks. dist. of  
a Poplar 12 " " " S 66 W 18 " "

81.75 Intersected the 2<sup>nd</sup> Meridian 4 lks. N. of the  
Cor. Set a post Cor. to Sec. 18 & 19, from which  
a Beech 15 m. diam. bears N 37 W 13 lks. dist. of  
a Hackberry 10 " " " S 26 E 25 " "  
Land, timber &c. Same as on the last mile.

---

North Between Sec. 17 & 18, T 2 N. R 1 E.

15.90 a W. Oak 12 m. diam. bears

40.00 Set the q. Sec. post, from which  
a Beech 24 m. diam. bears S 22 E 25 lks. dist. of  
a Dogwood 5 " " " N 54 W 4 " "

80.00 Set a post Cor. to Sec. 17, 8, 17 & 18, from which  
a Sugar 8 m. diam. bears S 33 E 17 lks. dist. of  
a Redbud 5 " " " N 70 E 12 " "  
Land timber &c. Same as on the last mile

---

East On Random betw<sup>n</sup> Sec. 18 & 17, T 2 N. R 1 E.

40.00 Set temp<sup>y</sup> q. Sec. post

79.81 Intersected the N. & S. line 18 lks. S. of the Cor.



T<sup>2</sup> N. R1 E. 2<sup>d</sup> Mer. Indiana

Land timber &c. Same as on the last mile

West On true line betw<sup>n</sup> Sec. 8 & 17, T<sup>2</sup> N. R1 E.  
 39.90 $\frac{1}{2}$  Set of Sec. post at av<sup>g</sup>. dist, from which  
 a W. Walnut 8 mi. dist. bear S 52<sup>W</sup> 5<sup>W</sup> 1/2<sup>W</sup> dist. of  
 a Red bud 5 " " " N 10 E " "  
 79.81 to the Sec. Cor.

West Between Sec. 7 & 18, T<sup>2</sup> N. R1 E. 2<sup>d</sup> Mer.  
 37.50 a Brook 100 lks. wide ex. S.  
 40.00 Set the of Sec. post, from which  
 a Beech 24 mi. dist. bear S 14<sup>W</sup> 23<sup>W</sup> 1/2<sup>W</sup> dist. of  
 a Sugar 7 " " " N 79 E 57 " "  
 84.00 Intersected the 2<sup>d</sup> Meridian 26 lks. N of the Cor.  
 Set a post Cor. to Sec. 7 & 18, from which  
 a Sugar 8 mi. dist. bear N 15<sup>W</sup> 11<sup>W</sup> 1/2<sup>W</sup> dist. of  
 a W. Oak 12 " " " N 62 E 16 " "  
 Very Rich farming land

North Between Sec. 7 & 8, T<sup>2</sup> N. R1 E. 2<sup>d</sup> Mer.  
 21.00 a Water Course ~~200~~ 200 lks. wide ex. W.  
 40.00 Set the of Sec. post, from which  
 a B. Walnut 5 mi. dist. bear S 33 E 14<sup>W</sup> 1/2<sup>W</sup> dist. of  
 a Hackberry 8 " " " N 23 E 10 " "  
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which  
 a Sugar 10 mi. dist. bear S 13 E 30<sup>W</sup> 1/2<sup>W</sup> dist. of  
 a Do 10 " " " N 57<sup>W</sup> 16 " "  
 Land timber &c. Same as on the last mile

East On Ransom between Sec. 5 & 8, T<sup>2</sup> N. R1 E.  
 40.00 Set temp<sup>y</sup>. of Sec. post  
 75.00 a Water Course 150 lks. wide ex. S. W.  
 80.00 Intersected the N & S. line 20 lks. S. of the Cor.

# T 2 N. R 1 E. 2<sup>d</sup>. Mer. Indiana

Land timber &c. Same as on the last mile

West On true line between Sec. 5 & 8, T 2 N. R 1 E.  
 40.00 At q. Sec. post at adj. dist. on true line, from which  
 a Redbud 5 m. dist. bears S 13 E. 5 lbs. dist. of  
 a Do 6 " " " S 85 W 16 " "  
 80.00 to Sec. Cor.

West Between Sec. 6 & 7, T 2 N. R 1 E.  
 40.00 At the q. Sec. post, from which  
 a W. Oak 15 m. dist. bears N 76 E 36 lbs. dist. of  
 an Elm 8 " " " N 28 W 12 " "  
 84.22 Intersected the 2<sup>d</sup>. Meridian at the corner  
 Land, timber &c. Same, Dec. 5<sup>th</sup>. 1806.

North Between Sec. 5 & 6, T 2 N. R 1 E. 2<sup>d</sup>. Mer.  
 40.00 At the q. Sec. post, from which  
 an Elm 10 m. dist. bears S 10 W 39 lbs. dist. of  
 a W. Ash 10 " " " N 56 W 7 " "  
 41.75 a W. Oak 20 " "  
 80.87 Intersected the N. boundary, 33 lbs. E. of the  
 Cor. - At a post Cor. to Sec. 5 & 6, from which  
 a Hickory 10 m. dist. bears S 27 E 11 lbs. dist. of  
 a Dogwood 5 " " " N 84 W 9 " "  
 Land, timber &c. Same as on the last mile  
 Surveyed by Arthur Hennie, D. S.

I certify that the foregoing transcript of  
 field notes of Township N. 2. N. Range N. 1  
 E. 2<sup>d</sup>. Mer. Indiana, has been Comp<sup>d</sup>. with  
 the original notes in this office, and found to  
 be correct.

Surveyor Gen<sup>l</sup>. Office, Cincinnati. Dec. 11<sup>th</sup>. 1840.

Sur. Gen<sup>l</sup>.